





Tunnel gate insert
 Inserto de inyección
 Wkładka tunelowa
 Postiço de injeção
 Embout d'injection rectangulaire



Hardness: 54 ± 2 HRC.

t1	t4	l5	h2	d3	d4	d5	l1	b1	h1	d2	REF.
13	1,5	0,75	0,6	M4	2,2	3	8	6	22	0,6	BR1060/08x06x22x0,6
					2,4					0,8	BR1060/08x06x22x0,8
12	2	1	0,8	M5	2,5	4	10	8		1,2	BR1060/10x08x22x0,8
					3					1,6	BR1060/10x08x22x1,2
					3,3					1,6	BR1060/10x08x22x1,6
11	2,5				2,9	5	12	10		1,2	BR1060/12x10x22x1,2
					3,3					1,6	BR1060/12x10x22x1,6
					3,7					2,0	BR1060/12x10x22x2,0






Distance L (mm)				REF.	
TPE, TPU, TPA	PE, PP, PET, PBT	ABS, PA, POM, ABS/PC	PA+GF, PC, SAN, PMMA, PS	BR1050/ ...	BR1060/ ...
9 - 11	12 - 18	15 - 22	18 - 25	... 6 x ...	-
11 - 14	15 - 22	19 - 27	23 - 30	... 8 x ...	... 8 x ...
15 - 18	19 - 27	24 - 33	30 - 38	... 10 x ...	... 10 x ...
18 - 21	22 - 30	27 - 36	32 - 41	... 12 x ...	... 12 x ...

BR1050/BR1060




Gate diameter recommendation
Diámetro recomendado



Medium Viscosity

ABS, SAN, POM-CO, PMMA, EPDM, PA, PBT, PET



Low Viscosity

PP, PE, PS, SB

